

**EFFECT OF PROCESSING TEMPERATURE AND POLYMER CONCENTRATION ON PLASTICITY OF HOT AIR-DRIED MANNURONATE-RICH ALGINATE FILMS**

**Noor Shimariza Ashikin Wan Hussin<sup>1,2,4</sup>, Wong Tin Wui<sup>1,2\*</sup> and Law Chung Lim<sup>3</sup>**

<sup>1</sup>Particle Design Research Group, Faculty of Pharmacy,

<sup>2</sup>Non-Destructive Biomedical and Pharmaceutical Research Centre, Universiti Teknologi MARA Malaysia, 42300, Puncak Alam, Selangor, Malaysia.

<sup>3</sup>School of Chemical and Environment Engineering, The University of Nottingham, Malaysia Campus, Jalan Broga, 43500, Semenyih, Selangor, Malaysia.

<sup>4</sup>KPJ International University College of Nursing and Health Sciences, Lot PT 17010, Persiaran Kota Seriemas, 71800, Nilai, Negeri Sembilan

\*wongtinwui@salam.uitm.edu.my

**ABSTRACT**

The present study investigated the plasticity of hot air-dried mannuronate-rich alginate films prepared from 2 and 4% (w/w) alginate solutions, which contained the same amount of polymer; through hot-air drying at 40 to 80°C for use as transdermal drug delivery system. These films were subjected to thermomechanical, differential scanning calorimetry, fourier-transform infra-red, x-ray diffractometry, dimension, morphology, moisture content, viscosity and polymer molecular weight analysis. It was found that the films plasticity increased when a dilute alginate solution was employed in film preparation. This was due to decrease in polymer-polymer interaction at high strength domains of matrix involving C-H, O-H, C-O and/or C=O moiety of alginate, attributing to plasticization effect of water. The plasticity of film decreased with an increase in drying temperature from 40 to 60°C following heat-induced polymer-polymer interaction. A further increase in drying temperature to 80°C nonetheless greatly promoted film plasticity through air bubble formation and reduced alginate molecular weight in film.

Reproduced with permission of copyright  
owner. Further reproduction prohibited  
without permission.