

Identification and Prioritization of Green Hospital Criteria in Fars Province with DEMATEL Combined Approach and Analytic Network Process (DANP)

Diba Norouzi ¹, Shaghayegh Vahdat ^{2*}, Somayeh Hesam ²

¹ PhD Student, Health Services Management, Department of Health Services Management, Shiraz Branch, Islamic Azad University, Shiraz, Iran. ² Associate Professor, Department of Health Services Management, Faculty of Management, Islamic Azad University, South Tehran Branch, Iran.

Abstract

Introduction: Designing and constructing hospitals using a green approach leads to a reduction of energy consumption and carbon emissions, improvement of indoor and outdoor air quality. The purpose of this research is to help hospitals identify and prioritize the factors influencing the establishment of a green hospital to protect the environment. **Materials and Methods:** In this descriptive-analytical research, the criteria of Green Hospital were first identified by a literature review and were localized and selected by experts using the Delphi method. Then, we applied the DEMATEL method to determine the relationships and effect of factors and analytic network process methods for weighting and prioritizing factors. **Results:** Findings of the DEMATEL method showed that management, water use, health, treatment, and innovation are effective in establishing green hospitals. The management dimension is of the highest weight (101%) and the greatest influence (1.48) and innovation and the quality of the indoor environment with the weight 83% are in the next rank. **Discussion & Conclusion:** Management and its sub-criteria are the most important factors in implementing a green hospital in Fars province. As a result, the implementation of the green hospital depends on the managers' efforts. In this regard, the strategic role of managers in today's hospitals affects the environmental resources and reduces the burden of disease on society while reducing costs.

Keywords: Prioritization, Criterion, Establishment, Green Hospital, Fars Province, Network Analysis

INTRODUCTION

Hospitals around the world strive to innovate in patient care by maintaining high standards of quality. In implementing this innovation, hospitals have an impact on the natural environment ^[1], and by applying the tools and techniques of green productivity, they minimize the environmental pollutants resulting from the service delivery process. For this reason, green productivity methodology has been practiced in hospitals around the world ^[2].

The Green Hospital sees the environment as part of its service quality processes and seeks to not harm itself and others by employing effective approaches in each of its dimensions including management, water, energy, building, waste, medicine, and shopping ^[3]. Hospitals consume a large amount of energy and other resources to provide high-quality care. Also, health care institutions can greatly reduce their environment-destroying impacts by using simple, smart and green measures ^[4].

The first method of environmental assessment (BREEAM) was from the United Kingdom in 1446, which led to the development of green assessment methods in the world ^[5]. For example, the studies of Nurisyahi Chua Abdullah, Hesam Sadatafafi, and Tanisha Barbara, Mohamed Effendi and

Yvonne Ryan-Fogart have used green building assessment models including GBI, LEED, WHO, ISO 14001- HESG, GBRS to build green hospitals ^[6-11].

For example, the Pittsburgh Children Hospital in the United States has a LEED (Energy Leadership and Environmental Design) license ^[12]; it has applied energy productivity, leadership, chemicals, waste, energy, water, transportation by applying energy efficiency criteria. Food, Drugs, Building and Shopping ^[13] and has benefited from the green building

Address for correspondence: Shaghayegh Vahdat; Associate Professor, Health Services Management, Department of Health Services Management, School of Management, South Tehran Branch, Islamic Azad University, Tehran, Iran
E-mail: sha_vahdat@yahoo.com

This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work noncommercially, as long as the author is credited and the new creations are licensed under the identical terms.

How to cite this article: Norouzi, D., Vahdat, Sh., Hesam, S. Identification and Prioritization of Green Hospital Criteria in Fars Province with DEMATEL Combined Approach and Analytic Network Process (DANP). Arch Pharma Pract 2019;10(1):55-62.

design impacts by reducing mortality by 19 percent, reducing electricity and water by 50 percent and reducing sewage ^[14]. Singapore has achieved significant savings of \$1872,000 in energy management and hospital waste management ^[15] using Green Productivity Strategy ^[15].

In Iran, measures have been taken for a green hospital following the environmental standards. In this regard, the Iranian Green Management Association has adapted the German Green Hospital Pattern and compiled a Checklist for Green Hospital with a validation approach ^[16, 17]. In a study, Shabani *et al.* proposed the dimensions of water, management, chemicals, waste, energy, garbage, site sustainability, innovation, indoor quality, environmental preferred purchasing, transportation and noise pollution for Iran ^[18, 19]. Of the 69 Social Security Hospitals, 19 have been able to implement fully the International Standard on Environmental Management, according to statistics provided by the Department of Health Deputy of Social Security Organization ^[4, 19].

Since none of the studies studied has used a combined method of DEMATEL and ANP and on the other hand, they are suitable methods for prioritization. Therefore, the purpose of the present research is to use MCDM combined methods to identify and analyze the effective factors in green hospital in Fars province.

RESEARCH METHODOLOGY

This research is applied and in terms of data collection, it is a descriptive-analytical survey oriented to problem-solving through fuzzy mathematical modeling. In the data collection sequence, qualitative data first and then quantitative data were collected. The main data collection tool in this research is the questionnaire. We have extracted the theoretical issues of criteria and dimensions of Green Hospital through library studies and reference to Persian and Latin articles. We have chosen the Delphi localization method to finalize the model. The Delphi results are shown in Table (1). The content validity and reliability of the questionnaire derived from field studies and the model were confirmed by 5 university experts and 10 hospital managers. Then, the findings of the studies were evaluated by a DAMATEL questionnaire and the causal relations were investigated by the DAMP method.

The research population included 15 health experts, 5 university professors, and 10 hospital managers. Characteristics of the experts were 2 years of work experience related to health care management, postgraduate qualifications related to health care management, availability and willingness to participate in research. The most important point in determining the experts is the presence of academic experts against the professional and empirical experts of hospital management to ensure the comprehensiveness of different perspectives. Since this research uses the expert population, so there is no statistical sample in this research.

Data were analyzed using the combined methods of multi-criteria decision theory including ANP based on DEMATEL (DANP). The ANP method is a mathematical theory proposed by Saati in 1999; it systematically calculates the weight of factors when they are in contact and prioritizes the problems existed among dependency and feedback assessment factors ^[6]. In this research, we used the DEMATEL method to determine dependency and to determine relationships among factors. The DEMATEL method examines the structure of how agents influence and tries to solve the problem facing organizations and improve it by applying group decision making in context. In this method, the degree of influence of one factor on another is determined by the opinions of the experts and ultimately it determines the priority of the factors influencing a particular system ^[7].

Table 1: Completing the questionnaire from the five-degree DEMATEL spectrum

Without effect	Very low effect	Low effect	Moderate effect	High effect
0	1	2	3	4

FINDINGS

To identify the effective factors in Green Hospital, we identified by reviewing the articles, criteria and following dimensions for Green Hospital implementation:

Dimensions of sustainable sites, water efficiency, energy and atmosphere, materials and resources, environmental quality, innovation ^[8-11, 14, 19-36] as well as India's IGBC ^[10, 35] and Africa's Green GSH ^[9], the Chinese GBL pattern are an adaptation of the LEED model ^[10, 11].

UK Environmental Assessment Method BREEAM with Dimensions of Management, Health, Energy, Transport, Water, Materials, Waste, Land Use, and Environment, Pollution, Innovation ^[10, 11, 14, 25, 34, 35, 37, 38]. The Duurzaamheidsmeter Zorg method is adapted from the English model of hospital green evaluation ^[39].

Malaysia Green Assessment Method GBIAP with dimensions of Environmental Assessment, Energy productivity, Indoor Environmental Quality, Planning and Management, Materials and Resources, Water Productivity, Innovation ^[8, 10, 25, 37, 38, 40].

Australian Green Star Method GREEN STAR with dimensions of Management, Environmental Quality, Energy, Transport, Water, Materials, Land Use and Environment, Innovation ^[8, 10, 25, 35, 37].

German Environmental Assessment Method DGNB with dimensions of Classification of Internal, Economic, Social Environmental Quality, Technology, Process, Site and dimensions of Energy, Management, Chemical, Building, Purchasing, Medication, Waste, Water ^[4, 41]. Japan

Environmental Assessment Method CASBEE has the following classification: Pre-design, New Construction, Existing Buildings, and Reconstruction and with dimensions of Energy Efficiency, Site Selection, Indoor Environmental Quality, Resources and Materials, Water Conservation [10, 11, 35, 42]. World Health Organization WHO with model GGHC with dimensions of Energy, Pollution, Environment, Shopping, Green Building Design, Transportation, Food, refuse & Waste, Water, Healthy Environment and Sustainable Health, Focus on Health Promotion and Prevention [8, 28, 30, 35, 39, 43, 44]. Environmental Management System Approach ISO 14001 - Environmental management system with dimensions of management, energy, hazardous

and infectious waste management, water, sewage, pollutants, water, environmental preferred purchase [4, 30, 43, 45-47]. The WELL method has used the dimensions of the health of air, water, nutrition, light, fitness, comfort and mind, water, sleep and ergonomic factors of chemical inhibitors [24]

In the following, the Delphi method was used to localize and apply the identified factors to the green hospital under study; the experts reached consensus in two phases. In the second phase in the fuzzy Delphi method, 13 dimensions are assigned to the accepted theory as described in Table (1).

Table 2: Final Criteria for Designing the Green Hospital Establishment Pattern in Fars Province

Criterion	Sub-criterion	Criterion	Sub-criterion
Sustainability	Sustainability	Preferred purchase	Food
	Planning	Energy consumption	Economy
	Location		Natural light
Construction	Orientation	Water consumption	Drop irrigation
	Resistant structure		Water-efficient equipment
Indoor environment	Toxic substances		Energy evaluation
	Weather		Evaluating water Consumption
	Noise	Wastewater	Wastewater purification
Management	Guideline	Waste and recycling	Waste separation
	Green management		Waste
	Wastage reduction		Education
	requests		Disinfection
Resources	Safety		Materials control
	Recycle	Health & treatment	Education
	Shopping		Disinfection
Transport	Electronic services	Innovation	Electronic innovations
	Electronic transport		Innovation in each criterion

F DEMATEL method was used to investigate the inter-relationships between factors. Experts determined the extent to which each of the factors influenced each other, and after aggregating the opinions of 15 experts, the matrix table of the

aggregated opinions relations for dimensions and criteria was formed. We formed the normalized matrix of direct relations and then obtained the matrix (T).

Table 3: Complete Relationship Matrix (T) of Principal Factors (Source: Research Data)

Dimensions	Innovation	Health & treatment	Transportation	Waste	Sewage	Water	Energy	Preferred	Resources	Management	Quality	Construction	Sustainability
A	0.050	0.044	0.039	0.050	0.059	0.048	0.057	0.034	0.049	0.061	0.057	0.060	0.052
B	0.045	0.039	0.034	0.041	0.042	0.040	0.055	0.027	0.042	0.053	0.045	0.038	0.053
C	0.044	0.045	0.039	0.047	0.043	0.035	0.041	0.031	0.040	0.054	0.040	0.047	0.046
D	0.060	0.060	0.050	0.060	0.056	0.050	0.057	0.041	0.055	0.066	0.062	0.057	0.053
E	0.052	0.045	0.039	0.044	0.041	0.040	0.047	0.031	0.038	0.059	0.046	0.049	0.045
F	0.026	0.025	0.021	0.025	0.026	0.022	0.027	0.011	0.025	0.035	0.026	0.025	0.028
G	0.052	0.044	0.038	0.044	0.047	0.047	0.046	0.036	0.047	0.060	0.046	0.059	0.051
H	0.045	0.036	0.032	0.035	0.042	0.038	0.043	0.025	0.037	0.050	0.037	0.040	0.040
I	0.054	0.049	0.040	0.052	0.030	0.041	0.045	0.033	0.045	0.062	0.053	0.050	0.050
J	0.052	0.057	0.048	0.052	0.048	0.038	0.043	0.031	0.047	0.066	0.054	0.050	0.045
K	0.039	0.044	0.021	0.042	0.032	0.028	0.032	0.024	0.033	0.053	0.042	0.029	0.030
L	0.051	0.042	0.040	0.053	0.044	0.037	0.041	0.030	0.045	0.063	0.050	0.040	0.037
M	0.055	0.062	0.056	0.060	0.019	0.056	0.063	0.044	0.063	0.076	0.065	0.060	0.059

In this study, the threshold value is 0.044. So the pattern of meaningful relationships is as follows. The result of the calculations is given in Table 4.

Table 4: Causal Relations Pattern of Research Main Dimensions

Dimensions	D	R	D+R	D-R
Sustainability	0.5876	0.6610	1.2486	-0.0733
Construction	0.6037	0.5533	1.1570	0.0504
Quality	0.6212	0.5511	1.1723	0.0700
Management	0.7577	0.7266	1.4842	0.0311
Sources	0.5663	0.5760	1.1422	-0.0097
Preferred purchase	0.4000	0.3211	0.7211	0.0789
energy productivity	0.5980	0.6173	1.2153	-0.0193
Water	0.5200	0.4994	1.0194	0.0206
Sewage	0.5283	0.6040	1.1323	-0.0757
Waste and recycling	0.6056	0.6319	1.2375	-0.0263
Health & treatment	0.4982	0.4494	0.9476	0.0488

Transportation	0.5895	0.5727	1.1622	0.0169
Innovation	0.6248	0.7372	1.3621	-0.1124

The sum of the elements of the columns and rows of the T matrix is computed for the main factors and their sub-factors and in the form of D vectors, in which management has the most influence. Quality, waste, and recycling are also next in effectivity.

R was named impressionable. In the present study, management is highly impressionable. The criterion of health and treatment is the least impressionable among criteria.

-Horizontal vector (D + R) is the amount of influence and impression of the factor in the system. In other words, the higher the D + R factor, the more it interacts with other system factors. Therefore, management has the most interaction with the other criteria under study. Transport has the least interaction with other variables.

- Vertical vector (D - R) shows the power of the effectivity of each factor. Generally, if D - R is positive, the variable is causal, and if negative, it is a cause. In this model, the construction stage, environmental quality, management, environmental preferred purchasing, water use, transportation, and health are the effects and site sustainability, resources, sewage, and innovation are the causes.




Diagram 1: Cartesian coordinate diagram of DEMATEL output for the main factors (source: research data)

The horizontal axis of the diagram shows the importance of D + R factors and the vertical axis the net action/reaction of D-R factors and the direction of the arrow show the

effectivity. The map of relations network has been shown in Diagram (1).

Table 5: Dimensions weight and design criteria for a green hospital establishment pattern in Fars province

Criterion	Sub-criterion	Weight of sub-criterion	Weight of dimensions	Criterion	Sub-criterion	Weight of sub-criterion	Weight of dimensions	
Sustainability	Sustainability	0.25	0.78	Preferred purchase	Food	0.53	0.53	
	Planning	0.25		Energy	energy consumption	0.43		0.80
	Location	0.29			natural light	0.37		
Construction	Orientation	0.43	0.83	Water consumption	drop irrigation	0.16	0.69	
	Resistant structure	0.37			Water-efficient equipment	0.17		
Indoor environment	Toxic substances	0.29	0.83		Energy Consumables	0.19		
	Weather	0.29			Consumption of water equipment	0.18		
	Noise	0.25		Wastewater	Wastewater purification	0.71		0.71
Management	Guideline	0.24	0.101	Waste and recycling	Waste separation	0.17	0.81	
	Green management	0.24			Waste	0.16		
	wastage	0.19			Education	0.17		
	requests	0.17			Disinfection	0.16		
	Safety	0.17			Materials	0.16		
Resources	Recycle	0.23	0.75	Health & treatment	Education	0.39	0.79	
	Shopping	0.33			Disinfection	0.39		
	Electronic services	0.20			Innovation	Electronic innovations	0.32	0.83
Transport	Electronic transport	0.66	0.66		Innovation	0.52		

Then, the ANP method was used for weighting the factors. Initially, the model was drawn with the research grid structure the figure (2) shows it. At this stage, the normalized weight was obtained for the DEMATEL general relations matrix factors; an unbalanced supermatrix was formed and then the balanced supermatrix was obtained. Finally, the weighted super-matrix was converged and the limit matrix was formed and the weight of the factors were obtained. Table 5 shows the results. The results of Table (5) show that the most weight is related to the dimension of management with 101 weight; it gained the priority and later gained the dimensions of innovation and quality of the interior environment obtained the subsequent priorities. This is due to the importance of these factors among the other factors.

DISCUSSION AND CONCLUSION

In the present research, we have presented a combined multi-criteria system of ANP (DANP) and DEMATEL (DANP) for implementing the green hospital criteria that can be used in similar hospitals.

We have selected the criteria affecting green hospital including 13 dimensions and 34 criteria (Table 2). These dimensions and criteria indicated the importance of establishing a green hospital in Fars province. Dimensions of management, waste, innovation, and quality of the indoor environment influenced green hospital implementation, respectively. The management dimension is most effective in the green hospital. In other words, the dimension of management is the bottleneck of hospital operation that is resolved by influential dimensions. This result indicates that the dimension of management becomes a measure of health. The dimension of Management is also the most influential aspect and should be prioritized by policymakers. Therefore, to use the green hospital benefits, hospital managers and health policymakers must adequately support it. Therefore, it is clear that considering the novelty of the green hospital model in Fars province, paying attention to proper management and consulting with experienced specialists is of great importance.

According to the results of Table (4), the most important factor calculated by DANP in executing the green hospital was the management dimension, which gained the priority with a weight gain of 0.101. Among the following sub-criteria, the criterion with the weight of treatment Guideline and Green Management Executive Programs achieved priority. It indicates that any hospital design and project requires proper planning, clear objectives, proper implementation, and supervision, all of which are defined in the management framework.

On the other hand, the dimensions of innovation and quality of the internal environment, with a weight of 83%, came in second priority. It is clear that using innovative methods and creativity is valuable in all criteria of a green hospital is valuable. The environmental management system enables the

centers to achieve their environmental goals. As it is clear, using innovative methods and creativity is valuable in all Green Hospital criteria.

Finally, the waste and recycling criterion with the weight 0.81 achieved the third priority. This result showed that in the present research, waste and recycling are also in the next degrees of effectivity. Waste disposal, energy consumption, and sewage are major hospital costs that have potential environmental implications. Most health care centers are unaware of the effects they may have on the environment. Lack of optimal utilization of facilities, lack of oversight and inadequate planning and mismanagement of hospitals and inappropriate separation of hospital wastes produce high volumes of diverse wastes whose control imposes a high cost on each society from the production to final disposal. Among the available waste, hospital waste was classified as the most hazardous type of waste and considered as one of the major environmental pollutants.

In research, Ryan Fogarty *et al.* have dealt with the importance of management, supervision, and innovation ^[48]. Also, in research, Sahamir & Zakaria discussed the obligation to implement green management, green hospital standards and the establishment of an environmental management system (green management systems) without formal procedures for obtaining voluntary standards ^[21, 37]. BREEAM, LEED, SBTool, and CASBEE patterns have dealt with innovation ^[49, 50].

Ali Taleshi *et al.* believe that sound management and planning are of paramount importance in green hospital standards. Management approaches in today's hospitals have severely depressed the environment and have had a serious impact on the increase in society's health while increasing hospital costs. In other words, hospitals were captured by a managerial paradox.

According to researches, all researches, both internal and external, point to the importance of environmental quality ^[37, 51]. In the study, Ridolfia, Andreisb, Panzieric *et al.* concluded that indirect aspects are mainly related to land supervision and planning. Indicators based on the classical pressure-state approach as well as based on CO₂ equilibrium, sustainable analysis exposed to the environment have been used to evaluate EMS environmental performance ^[52].

In research, Van Demark *et al.* showed that health services in the United States produce 4 billion pounds of waste annually, with 70% directly generated by operating rooms. Waste disposal accounts for up to 20% of the hospital's annual environmental budget; the use of green management systems leads to reduce waste disposal in the operating room and reduce health care costs and potential environmental hazards ^[53]. Research by Unger *et al.* suggests that re-optimizing medical product reuse reduces the use of custom-packaged products and evaluates the energy recovery potential of the

products used^[54]. The findings are consistent with the present study.

Comparing the results of the present research with those of previous studies, we can say that the results of this research are in line with previous researches as above mentioned.

ACKNOWLEDGEMENT

Finally, we would like to thank Dr. Rahim Ostvar, Payam Farhadi and all those who provided us with scientific and spiritual support for this research. This article has been extracted from Diba Norouzi's Ph.D. dissertation with ethical code IR.IAU.SHIRAZ.REC 1398.038 approved by Shiraz Islamic Azad University without any financial support.

REFERENCE

- Reller A. Greener Hospitals, improving Environmental Performance, Environment science center, Univ: Bristol-Myers Squibb Company; Wissenschaftszentrum Umwelt 2012.
- Karliner JG, Robin. A Comprehensive Environmental Health Agenda for Hospitals and Health Systems Around the World: health care; 2011 October 12. 1-11 p.
- Jahanbakhsh F. Evaluating the Standard of Accreditation of the Green Hospital Model at the Selected Hospital of Social Security. Summary of the National Conference on Quality Upgrading with Clinical Governance Approach; November 2; North Khorasan University of Medical Sciences 2013.
- Arzamani, Masoumeh, Shahram Sedghi, and Amir Ashkan Nasiripour. "Standard evaluation of green hospital in medical centers of north khorasan university of medical sciences in 2016." *Management Strategies in Health System*, 2017; 2, (2): 118-129.
- Suzer, Ozge. "A comparative review of environmental concern prioritization: LEED vs other major certification systems." *Journal of environmental management*, 2015; 154: 266-283.
- Saaty TL. Decision making with the analytic hierarchy process. *International journal of services sciences*. 2008;1(1):83-98.
- Jeng DJ-F, Tzeng G-H. Social influence on the use of clinical decision support systems: revisiting the unified theory of acceptance and use of technology by the fuzzy DEMATEL technique. *Computers & Industrial Engineering*. 2012;62(3):819-28.
- Abdullah NC, Rosnan H, Yusof N. Internationalisation of Hospitals in the Wake of Green Agenda: How much more to be done? *Environment-Behaviour Proceedings Journal*. 2018;3(7):161-6.
- Weimann E, Patel B. Tackling the climate targets set by the Paris Agreement (COP 21): Green leadership empowers public hospitals to overcome obstacles and challenges in a resource-constrained environment. *South African Medical Journal*. 2017;107(1):34-8.
- Amran, Mohd Effendi, and Mohd Nabil Muhtazaruddin. "Assessment of renewable distributed generation in the green building rating system for a public hospital." *International Journal of Engineering and Technology (UAE)*, 2018; 7, (3): 40-45.
- Amrani G, Sayyid F, Sadeghi M, Ghahrihfi Building B. Comparison of technical, health and economic aspects of three methods of disposal of hospital waste including sterilization, burning, and burial of sanitation in Kurdistan. *Quarterly Journal of Environmental Science and Technology*. 2008;9(2):37-46.
- Bilec, Melissa M., Matthew Geary, Robert J. Ries, Kim LaScola Needy, and Matthew K. Cashion. "A method for quantifying the benefits of greening a healthcare facility." *Engineering Management Journal*, 2010; 22, (3): 3-11.
- Kreisberg, Joel. "Green Medicine: An integral approach that benefits physicians, patients, communities, and the environment." *Integrative Medicine*, 2007; 6(6): 38-41.
- Thiel, Cassandra L., Kim LaScola Needy, Robert Ries, Diane Hupp, and Melissa M. Bilec. "Building design and performance: A comparative longitudinal assessment of a Children's hospital." *Building and Environment*, 2014; 78: 130-136.
- May E. Building green hospitals. Improve your economic viability, environmental impact, and community standing. *Healthcare Executive*. 2004;19(4):38-40.
- Azamani mS, sh. Nasiri Pour, a. Evaluation of Sabz hospital standards at the Department of Clinical Therapy of the North Khorasan University of Medical Sciences in 2016. *Management Strategies in the Health System*. 2017;2(2):118-29.
- Azar FE FF, Foroushani AR, Badpa M, Azmal M. Evaluation of Green Hospital Dimensions in Teaching and Private Hospitals Covered by Tehran University of Medical Sciences *Journal of Service Science and Management*. 2015;8(2):8(2).
- Shamgoli GaHO. Green Hospital, A Sustainable Approach to the Design of Health Centers. The First Symposium on Sustainable Architecture; Hamedan: Sama Hamedan University of Technology; 2009.
- Shabani YV, Ali. Houshmand, Elaheh. Comparison and comparison of existing models for the management of Green Hospital. *Healthcare management*. 2016;7(1):20.
- Nilashi, Mehrbakhsh, Rozana Zakaria, Othman Ibrahim, Muhd Zaimi Abd Majid, Rosli Mohamad Zin, Muhammad Waseem Chughtai, Nur Izieadiana Zainal Abidin, Shaza Rina Sahamir, and Dodo Aminu Yakubu. "A knowledge-based expert system for assessing the performance level of green buildings." *Knowledge-Based Systems*, 2015; 86: 194-209.
- Sahamir SR ZR. Green assessment criteria for public hospital building development in Malaysia. *Procedia Environmental Sciences*. 2014; 20:106-15.
- Sadatsafavi, Hessam, Mardelle Shepley, Amy Kim, and Huy Huynh. "How Do Green Healthcare Facilities Perform Financially When Compared to Non-Green Hospitals Overtime? Results from a National Database." In *International Conference on Sustainable Infrastructure 2017*: 145-160.
- Sadatsafavi H, Shepley MM. Performance evaluation of 32 LEED hospitals on operation costs. *Procedia Engineering*. 2016; 145:1234-41.
- Allen JG, MacNaughton P, Laurent JGC, Flanigan SS, Eitland ES, Spengler JD. Green buildings and health. 2015. Report No.: 2196-5412 Contract No.: 3.
- Dhillon VS, Kaur D. Green hospital and climate change: Their interrelationship and the way forward. *Journal of clinical and diagnostic research: JCDR*. 2015;9(12):LE01.
- Rossi M. Designing a 21st Century Hospital: Environmental Leadership for Healthier Patients and Families. sponsored by the Robert Wood Johnson Foundation: The Center for Health Design and Health Care Without Harm September 2006.
- Setyowati E, Harani AR, Falah YN. Green building design concepts of healthcare facilities on the orthopedic hospital in the tropics. *Procedia-Social and Behavioral Sciences*. 2013;101:189-99.
- Yang Y, Zeng N, Shen M, Sun Z. Development of green hospitals home and abroad. *Zhong nan da Xue Xue bao Yi Xue ban= Journal of Central South University Medical sciences*. 2013;38(9):949-53.
- Shahhosseini R. The Impact of Green Design and Architecture on the Environment and Human Life: Architectural Design of Green Hospital. National Conference on sustainable architecture and urban development; Bukan: Desert Commercial Company; 2013.
- sodagar sM, m. An Analysis of the Needs of Green Hospital Design with Sustainable Architecture Approach. *Urban Management*. 2016;45:517-32.
- Yazdanpanah AY, Marjan. Aghayii Barzabad, Parviz. Identification and prioritization of barriers to implementing the green Hospital standards at Emam Hassan Mojtaba Hospital in Darab *Universal Journal of Pharmaceutical Research An International Peer Reviewed Journal Open access to Pharmaceutical research*. 2018;3(1).
- Ryan-Fogarty Y, O'Regan B, Moles R. Greening healthcare: Systematic implementation of environmental programs in a university teaching hospital. *Journal of cleaner production*. 2016;126:248-59.
- Youssef Sb, loyalty CAs, Ascension, Goddess S. Designing a Green Hospital Model for Iran. *Health Management*: 1979, Volume Number 72 # p00507; From page 64 to page 76. 2008; 21(72): 64-76.
- Gibberd J, editor *Assessing sustainable buildings in developing countries—the sustainable building assessment tool (SBAT) and the*

- sustainable building lifecycle (SBL). Proceedings of the world sustainable building conference Tokyo; 2005.
35. Bharara T, Gur R, Duggal SD, Jena P, Khatri S, Sharma P. Green Hospital Initiative by a North Delhi Tertiary Care Hospital: Current Scenario and Future Prospects. *Journal of Clinical & Diagnostic Research*. 2018;12(7).
 36. Colquhoun HL, Levac D, O'Brien KK, Straus S, Tricco AC, Perrier L, et al. Scoping reviews: time for clarity in definition, methods, and reporting. *Journal of clinical epidemiology*. 2014;67(12):1291-4.
 37. Sahamir SR, Zakaria R, Alqaifi G, Abidin NI, Rooshdi RRRM. Investigation of green assessment criteria & sub-criteria for public hospital building development in Malaysia. *Chemical Engineering Transactions: Italian Association of Chemical Engineering-AIDIC*; 2017. 307-12.
 38. Setyowati, Erni, Arnis Rochma Harani, and Yasmina Nurul Falah. "Green building design concepts of healthcare facilities on the orthopedic hospital in the tropics." *Procedia-Social and Behavioral Sciences*, 2013; 101: 189-199.
 39. Stevanovic M, Allacker K, Vermeulen S. Hospital building sustainability: the experience in using qualitative tools and steps towards the life cycle approach. *Procedia environmental sciences*. 2017;38:445-51.
 40. Chang K, Chien H. The influences of landscape features on the visitation of hospital green spaces—A choice experiment approach. *International journal of environmental research and public health*. 2017;14(7):724.
 41. Farbod Ebadi Azar1 FF, Abbas Rahimi Foroushani3, Mahnaz Badpa4, Mohammad Azma5 Evaluation of Green Hospital Dimensions in Teaching and Private Hospitals Covered by Tehran University of Medical Sciences. *Journal of Service Science and Management*. 2015;08(2):7 pages
 42. Dovjak M, Shukuya M, Krainer A. User-Centred Healing-Oriented Conditions in the Design of Hospital Environments. *International journal of environmental research and public health*. 2018;15(10):2140.
 43. Ryan-Fogarty Y ORB, Moles R. Greening healthcare: systematic implementation of environmental programs in a university teaching hospital. *Journal of Cleaner Production*. 2016; 126:248-59
 44. Cheng, Y. W., F. C. Sung, Y. Yang, Y. H. Lo, Y. T. Chung, and K-C. Li. "Medical waste production at hospitals and associated factors." *Waste Management*, 2009; 29(1): 440-444.
 45. Unger, Scott R., Nicole Champion, Melissa M. Bilec, and Amy E. Landis. "Evaluating quantifiable metrics for hospital green checklists." *Journal of Cleaner Production*, 2016; 127: 134-142.
 46. Costello, Anthony, Mustafa Abbas, Adriana Allen, Sarah Ball, Sarah Bell, Richard Bellamy, Sharon Friel, et al. "Managing the health effects of climate change: Lancet and University College London Institute for Global Health Commission." *The Lancet*2009; 373(9676): 1693-1733.
 47. Ali Taleshi MSC, Farhad. Azimzadeh, Hamid Reza, Mohammad Taghi. Achievement of Green Hospital Standards at Yazd Educational Hospitals in 2013. *Journal of Ilam University of Medical Sciences*. 2013; 22(5)
 48. Ryan-Fogarty Y ORB, Moles R. Greening healthcare: systematic implementation of environmental programs in a university teaching hospital. *Journal of Cleaner Production*. 2016;126:248-59
 49. Mashmool AB, B. The analysis of the principles of social sustainability in designing of the ecological complex such as cultural fairs. *International conference in sustainability in architecture and urbanism*; Masdar: UAE; 2014.
 50. Lee W, Burnett J. Benchmarking energy use assessment of HK-BEAM, BREEAM and LEED. *Building and Environment*. 2008;43(11):1882-91.
 51. SHAABANI, Y., NAJAR A. VAFAGEE, M. MERAJI, and E. HOOSHMAND. "Culture of Health Economics in Clinical Care: A Qualitative Study." 2018: 64-76.
 52. Ridolfia RA, D. Panzieric, M. Ceccherinid, F. The application of environmental certification to the Province of Siena. *Journal of Environmental Management*. 2008;86(2): 390-5.
 53. Van Demark RE SV, Fiegen A. Lean, and Green Hand Surgery. *Journal of Hand Surgery*. 2018;43(2)::179-81.
 54. Unger SR CN, Bilec MM, Landis AE. Evaluating quantifiable metrics for hospital green checklists. *Journal of cleaner production*. 2016;127:134-42.